

Santa Clara Valley Water District  
In-Line Drip Irrigation Equipment



Converting overhead irrigation to drip irrigation in existing shrub, perennial and annual planting beds can help reduce water loss from wind, misting, over-spray and runoff often associated with sprinkler systems. In-line drip tubing is recommended over conventional drip irrigation because it is less susceptible to clogging and fittings/emitters becoming disconnected, requires less maintenance, and has a longer useful life.

The following is a list of qualifying in-line drip tubing with a flow rate of 1 gallon per hour or less to be used for the Drip Irrigation Conversion Rebate. Please contact the Santa Clara Valley Water District to inquire about using any form of in-line drip tubing not on the list below. This list is not intended to be the qualifying list for any drip irrigation installed within the Landscape Conversion Rebate area.

Manufacturer	Model		Website
Techline	Techline HCVXR	Hcvxr	<a href="http://www.netafimusa.com">www.netafimusa.com</a>
Technine	Technine CV	Cv	<a href="http://www.netafimusa.com">www.netafimusa.com</a>
Techline	Techline EZ	Ez	<a href="http://www.netafimusa.com">www.netafimusa.com</a>
Techline	Techline RW	Rw	<a href="http://www.netafimusa.com">www.netafimusa.com</a>
Techline	Techline DL	DI	<a href="http://www.netafimusa.com">www.netafimusa.com</a>
Excel Pc	Excel PC Dripline	Dripline	<a href="http://www.digcorp.com">www.digcorp.com</a>
Excel Pc	Excel PC CV Dripline With Check Valve	Cv Dripline With Check Valve	<a href="http://www.digcorp.com">www.digcorp.com</a>
Emitter Tubing	Emitter Tubing 1/2"	1/2"	<a href="http://www.dripworks.com">www.dripworks.com</a>
Eco-Mat	ECO-MAT 12" Spacing (0.6 GPH)	12" Spacing (0.6 Gph)	<a href="http://www.hunterindustries.com">www.hunterindustries.com</a>
Eco-Wrap	ECO-WRAP 12" Spacing (0.6 GPH)	12" Spacing (0.6 Gph)	<a href="http://www.hunterindustries.com">www.hunterindustries.com</a>
Pld	PLD 12" Spacing (0.4, 0.6, 1.0 GPH)	12" Spacing (0.4, 0.6, 1.0 Gph)	<a href="http://www.hunterindustries.com">www.hunterindustries.com</a>
Pld	PLD 18" Spacing (0.4, 0.6, 1.0 GPH)	18" Spacing (0.4, 0.6, 1.0 Gph)	<a href="http://www.hunterindustries.com">www.hunterindustries.com</a>
Pld	PLD 24" Spacing (0.4, 0.6, 1.0 GPH)	24" Spacing (0.4, 0.6, 1.0 Gph)	<a href="http://www.hunterindustries.com">www.hunterindustries.com</a>
Bff	BFF		<a href="http://www.kiss.com">www.kiss.com</a>
Bfw	BFW		<a href="http://www.kiss.com">www.kiss.com</a>
Xfcv	XFCV Dripline With Heavy-Duty Check Valve	Dripline With Heavy-Duty Check V	<a href="http://www.rainbird.com">www.rainbird.com</a>
Xfs	XFS Subsurface Dripline	Subsurface Dripline	<a href="http://www.rainbird.com">www.rainbird.com</a>
DL2000 Series	DL2000 Series Subsurface Dripline	Subsurface Dripline	<a href="http://www.toro.com">www.toro.com</a>
Drip-In	Drip-In PC Brown Dripline	Pc Brown Dripline	<a href="http://www.toro.com">www.toro.com</a>

The following forms of drip irrigation do NOT qualify for the In-Line Drip Irrigation Conservation Rebate



Micro Drip, Micro Sprayer, Point Source Emitters, Point Source Adapters, Bubblers, Soaker Hoses, etc. do NOT qualify for In-Line Drip Conversion Rebate. (They are acceptable to use in the Landscape Conversion Rebate, but no separate rebate is offered).

